



# Sign Fixing Methods

A simple overview of the alternative methods used to install a sign

Technical Brochure

Flat Cut Letters

# Snap Fix Locators




Industry standard, acrylic male and polythene female

- Suitable for use with acrylic, composite and Foamex
- Suited to smooth, reasonably flat walls
- Not suited to uneven walls such as Yorkstone
- A marked fixing template will be supplied
- Indoor and outdoor use
- Letters / panels will stand off the wall

**+ Easy to fit**

**- Not recommended for larger letters fitted externally**



Flat Cut Letters


# Brass/Nickel Locators



Industry standard, brass male and female

- Suitable for use with metals only
- Suited to smooth, reasonably flat walls
- Not suited to uneven walls such as Yorkstone
- A marked fixing template will be supplied
- Indoor and outdoor use
- Letters / panels will stand off the wall

- + **Excellent strength and longevity**
- **Sometimes visible on small narrow letters**



Flat Cut Letters

# Stud Fixings




Threaded studs in various lengths are stud welded to the rear of the letter

- Suitable for use with metal only (minimum stroke width 9mm)
- Suited to all wall types, smooth and uneven
- A marked fixing template will be supplied
- Indoor and outdoor use
- Letters are stood off or flush to the wall

**+ Neat way of fitting letters too thin for locators**

**- Letters can be removed from a tray sign, but would be difficult to remove from a stone wall**



Flat Cut Letters

# VHB



Various tapes and thicknesses available to suit a multitude of applications

- Suitable for use with most materials
- Suited to smooth, reasonably flat walls.
- Not suited to uneven walls such as Yorkstone
- A vinyl Applimask type fixing template can be supplied
- Indoor and outdoor use
- Letters will be flush to the wall

**+ Neat way of fitting letters with invisible fixings**

**- Specific surface preparation required; fitting can be disrupted by poor weather**



Flat Cut Letters


# Face Fix



Letters to be drilled through the face by fitter  
Letters can be supplied with or without fixing holes

- Suited to smooth walls surfaces only
- A marked fixing template will be supplied
- Indoor and outdoor use
- Fixing holes can be countersunk

- + A 'belt and braces' method of fixing large letters at high elevations
- Fixings will be visible at close range



Flat Cut & Built Up Letters


# Fixing Rails



Letters are prefixed to a rail / rails

- Suited to most wall types
- Used to hide wiring on illuminated letters
- Reduces drilled holes in the building
- Indoor and outdoor use

- + Often suitable for listed buildings
- + Fitting time vastly reduced on site
- Rails visible



Built Up Letters

# Bridges




## Industry standard

- Adapted to smooth and uneven walls
- Bridges can accommodate locators or stud fixings
- A marked fixing template will be supplied
- Indoor and outdoor use
- Letters are stood off or flush to the wall

**+ Excellent strength and longevity**

**- Advice should be taken if letter height exceeds 500mm**





Built Up Letters


## Stud / LED Fixings



Threaded studs in various lengths are stud welded to the rear of the letter

- Suited to all wall types, smooth and uneven
- A marked fixing template will be supplied
- Indoor and outdoor use
- Letters are stood off or flush to the wall

- + **No visible screws through the returns of the letter**
- + **Can be adapted with a back tray for halo illumination**
- **Letters can be removed from a tray sign, but would be difficult to remove from a stone wall**



Built Up Letters


# Backtrays



A flat component made from a multitude of materials that is fixed to the wall first

- Suited to smooth wall surfaces only
- CAD drawn template can be supplied
- Indoor and outdoor use
- Letters are stood off or flush to the wall

- + **Good for letters visible from behind**
- **Screws visible through the returns at close range**



Tray and Fascia Signs


# Angle



The simplest way of discreetly fixing a tray sign

- Suited to smooth, flat walls only
- Quick fixing time
- Indoor and outdoor use
- Trays / fascia signs are flush to the wall

**+ Fitting time vastly reduced**



Tray and Fascia Signs

# Fixing Flange/ Upstand




Used when access to the top and bottom returns are restricted (i.e in a tight recess)

- Suited to smooth, flat walls only
- No need for a backtray
- The face of the tray is reduced in size to accommodate the size of the upstand
- Trays / fascia signs are flush to the wall

**+ Fitting time vastly reduced**

**- Upstand may be visible at close distance**



Tray and Fascia Signs


# Fabricated Backtray



A thorough, traditional way of fitting a tray sign

- Can accommodate slightly uneven walls
- Used to house electrics, illumination and wiring
- Discreet fixing method

- + **Transformers can be hidden in the back tray**
- + **Fitting time vastly reduced**



Fixing type	Smooth Walls	Uneven Walls	Indoor Use	Outdoor Use	Invisible	Faster Fix Time	Template Required
<b>Flat Cut Letters</b>							
Snap Fix Locators	✓	✗	✓	✓	✓	✗	✓
Brass/Nickel Locators	✓	✗	✓	✓	✓	✗	✓
Stud Fixings	✓	✓	✓	✓	✓	✗	✓
VHB/Foam Tape	✓	✗	✓	✓	✓	✗	✓
Face Fix	✓	✗	✓	✓	✗	✗	✓
Fixings Rails	✓	✓	✓	✓	✗	✓	✗
<b>Built Up Letters</b>							
Brass/Nickel Locators with Bridges	✓	✗	✓	✓	✓	✗	✓
Stud Fixings with Bridges	✓	✓	✓	✓	✓	✗	✓
Backtrays	✓	✗	✓	✓	✓	✗	✓
Fixing Rails	✓	✓	✓	✓	✗	✓	✗
<b>Tray and Fascia Signs</b>							
Angle	✓	✗	✓	✓	✗	?	✗
Fixing Flange/Upstand	✓	✗	✓	✓	✗	?	✗
Fabricated Backtray	✓	✓	✓	✓	✗	?	✗

---

For more information about fixing  
methods or any other Applelec  
product, please get in touch:



01274 774 477 (Northern Office)

01442 500 050 (Southern Office)



[sales@applelec.co.uk](mailto:sales@applelec.co.uk)



[www.applelec.co.uk](http://www.applelec.co.uk)

---

Northern Office:  
Applelec  
Appleby House  
Walker Terrace  
Bradford, West Yorkshire  
BD4 7HP

Tel: 01274 774 477  
Fax: 01274 774 478  
[sales@applelec.co.uk](mailto:sales@applelec.co.uk)  
[www.applelec.co.uk](http://www.applelec.co.uk)

Southern Office:  
Applelec  
Suite 12, George House  
High Street  
Tring, Hertfordshire  
HP23 4AF

Tel: 01442 500 050  
Fax: 01442 822 501  
[sales@applelec.co.uk](mailto:sales@applelec.co.uk)  
[www.applelec.co.uk](http://www.applelec.co.uk)

